



MİMARİ AYDINLATMA & LED EKRAN TEKNOLOJİLERİ
ARCHITECTURAL LIGHTING & LED SCREEN TECHNOLOGIES



DMX512RGBW LED wallwash Light

IP67

Application: Door signboard, building exterior wall, landscape park, residential villa, bridge river and other outdoor lighting projects



EAST-DMX512-5054RGBW

Size: 20×10mm-PCB18mm	LED quantity: 36 LED×6 IC
Voltage: 24V	CRI: RA>90
Power: 25W	Waterproof grade: IP 67
Color: RGB+W	Beam angle: 10×60°



EAST-DMX512-5050RGB

Size: 20×10mm-PCB18mm	LED quantity: 36 LED×6 IC
Voltage: 24V	CRI: RA>90
Power: 25W	Waterproof grade: IP 67
Color: RGB	Beam angle: 10×60°

Monochrome Waterproof Silicone WallWash Lamp

IP67

Application: Door signboard, building exterior wall, landscape park, residential villa, bridge river and other outdoor lighting projects



EAST-2520 wallwash light

Size: 25×20mm-PCB18mm	LED quantity: 40 LED
Voltage: 24V	CRI: RA>80
Power: 22W	Waterproof grade: IP 67
Beam angle: 20×30°	Color: 2000K/3000K/4000K/6000K



EAST-1616 wallwash light

Size: 16×16mm-PCB12mm	LED quantity: 48 LED
Voltage: 24V	CRI: RA>80
Power: 24W/M	Waterproof grade: IP 67
Beam angle: 20×30°	Color: 2000K/3000K/4000K/6000K

WATERPROOF SILICON NEON LIGHT

IP68

Application:Door signboard,building exterior wall,landscape park,residential villa,bridge river and other outdoor lighting projects



EAST-2835-120-IP68

Size:10.5×3.5mm-PCB8mm	LED quantity:120 LED
Voltage:12/24/220V CRI:RA>80	Waterproof grade:IP 68
Power:6/8.5W Beam angle:120°	Color:2000K/3000K/4000K/6000K/Colorful



EAST-5050RGB-60-IP67

Size:16×16mm-PCB10mm	LED quantity:60 LED
Voltage:12/24V CRI:RA>80	IC model:1814 1903 16703 1003 2811
Power:14W/M Beam angle:120°	Color:Colorful

INDOOR WALLWASH LIGHT BELT

IP67

Application:Door signboard,building exterior wall,landscape park,residential villa,bridge river and other outdoor lighting projects



EAST-Indoor wall wash light belt

Size:PCB12mm	LED quantity:48 LED
Voltage:24V CRI:RA>80	Waterproof grade:IP20
Power:22W Beam angle:20×30°	Color:2000K/3000K/4000K/6000K



EAST-outdoor wall wash light belt-IP67

Size:16×10mm PCB12mm	LED quantity:48 LED
Voltage:24V CRI:RA>80	Waterproof grade:IP67
Power:22W Beam angle:20×30°	Color:2000K/3000K/4000K/6000K



Waterproof Led Wallwash Light

Application:Door signboard,building exterior wall,landscape park,residential villa,bridge river and other outdoor lighting projects

EAST-single color

Size:20×10mm-PCB18mm	
Voltage:24V CRI:RA>80	
Power:25W Color:3000K/4000K/6000K/colorful	
Waterproof grade:IP67	
Beam angle:30°	
LED quantity:42 LED	



ONE EXTRUDED SILICONE LAMP BELT

IP67

Application: Door signboard, building exterior wall, landscape park, residential villa, bridge river and other outdoor lighting projects



EAST-extruded light-120-IP67

Size: PCB8mm Voltage: 12/24/220V Power: 8/10W
 Beam angle: 180° LED quantity: 120 LED CRI: RA>80
 Waterproof grade: IP 67 Color: 2000K/3000K/4000K/6000K/colorful
 specification(front): 1010/1210/1212/1510/1616/2010/2014/2020
 specification(side): 0612side/0613side/0816side
 specification(with wing): 1010/1210/1510/2010with wing



EAST-outdoor wallwash light belt

Size: 16×11mm PCB12mm LED quantity: 48 LED
 Voltage: 24V CRI: RA>80 Waterproof grade: IP 65
 Power: 24W Beam angle: 20x30° Color: 2000K/3000K/4000K/6000K

LED light box light


IP65

Application: Door signboard, building exterior wall, landscape park, residential villa, bridge river and other outdoor lighting projects



EAST-RIGID STRIP LIGHT

PCB thickness: 1.1mm PCB length: 960mm
 LED quantity: 18LED 20LED Single LED lumen: 120-150lm
 single LED power: 1.5W/LED Color temperature: 6000-6500K
 Lens angle: 15°/45° IP Grade: IP20, IP65




EAST-LED MODULE LIGHT

PCB thickness: 1mm PCB size: 68×68mm, 70×70mm
 LED quantity: 4LEDs 6LEDs Single LED lumen: 120-150lm
 single LED power: 1.5W/LED Color: 3000K, 4000K, 6000K, RGB running
 Lens angle: 180° IP Grade: IP20, IP65




COB STRIP LIGHT

Size:5/8/10/12mm Voltage:DC12V,DC24V
Power:8W/10W/12W Beam angle:120°
CRI:80/90 IP Grade:IP20/IP65
LED quantity:252/288/320/480/608/840
Color temperature:3000k/4000k/6000k/RGB/RGBW/running/colorful




COB STRIP LIGHT

Size:5mm,8mm,10mm,12mm Voltage:DC12V/DC24V
Power:8W/10W/12W Beam Angle:120°
Cri:80/90 IP Grade:ip20,ip65
Ed Quantity:252/288/320/480/608/840
Color Temperature:3000K/4000K/6000K/rgb/rgbw/running/colorful



LED ROPE LIGHT

Size:D13mm,D16mm,D20mm,D25mm,D30mm,D40mm
Voltage:DC5v Vpower:3.1W Beam angle:360°
CRI:62 Grade:IP65
Degreeced quantity:50LED
Color temperature:3000k/4000k/6000k/RGB/RGBW/running/colorful



LED TUBE LIGHT

Size:diameter16mm Voltage:DC24V
Power:20W Beam angle:120°
CRI:80 IP Grade:IP20
LED quantity:120LED
Color temperature:RGB running and single color



LED STRIP LIGHT


size:5mm,8mm,10mm,12mm Voltage:DC12V / DC24V
Power:8W,10W,12W Beam angle:120°
CRI:80 90IP Grade:IP20,IP65
LED quantity:60LED,96LED,120LED
color temperature:RGB,RGBW,single color,SPI,DMX512RGB/RGBW




LED power supplier

Voltage:DC5V/DC12V/DC24V/DC48V
Power:60W/100W/200W/300W/400W
Grade:IP20/IP65

SILICONE TUBE SPARE PARTS



Silicone Cover



End Caps




D22 aluminum end caps



LED flexible aluminum profile



Steel Mesh



Aluminum Clip



LED sensor



Cabinet power supply




waterproof power supplier

FRONT LUMINOUS SERIES


0807

SIZE
8x7mm
APPLY
PCB-5mm




1616

SIZE
16x16mm
APPLY
PCB-8-12mm




3014

SIZE
30x14mm
APPLY
PCB-10-15mm




1616

SIZE
16x16mm
APPLY
PCB-8-12mm




3020

SIZE
30x20mm
APPLY
PCB-10-15mm




1010

SIZE
10x10mm
APPLY
PCB-5mm




1817

SIZE
18x17mm
APPLY
PCB-10-12mm




3020

SIZE
30x20mm
APPLY
PCB-10-15mm




1212

SIZE
12x12mm
APPLY
PCB-5-8mm



2014

SIZE
20x14mm
APPLY
PCB-8-12mm




4020

SIZE
40x20mm
APPLY
PCB-8-10mm




1210

SIZE
12x10mm
APPLY
PCB-8mm




2014

SIZE
20x14mm
APPLY
PCB-8-10mm




4025

SIZE
40x25mm
APPLY
PCB-15mm




1414

SIZE
14x14mm
APPLY
PCB-8-10mm




2020

SIZE
20x20mm
APPLY
PCB-8-12mm




4025

SIZE
40x25mm
APPLY
PCB-15mm




1510

SIZE
15x10mm
APPLY
PCB-8-10mm




2517

SIZE
25x17mm
APPLY
PCB-10mm




5015

SIZE
50x15mm
APPLY
PCB-8-12mm*2




2010

SIZE
20x10mm
APPLY
PCB-8-10mm



3010

SIZE
30x10mm
APPLY
PCB-2*8mm




5020

SIZE
50x20mm
APPLY
PCB-15-20mm




5025

SIZE
50x25mm
APPLY
PCB-15-20mm




1414

SIZE
14x14mm
APPLY
PCB-8-10mm




2020

SIZE
20x20mm
APPLY
PCB-8-12mm




6030

SIZE
60x30mm
APPLY
PCB-20-30mm




1510

SIZE
15x10mm
APPLY
PCB-8-10mm




2510

SIZE
25x10mm
APPLY
PCB-8-12mm




7030

SIZE
70x30mm
APPLY
PCB-8-10mm*3




1520

SIZE
15x20mm
APPLY
PCB-8-12mm




2520

SIZE
25x20mm
APPLY
PCB-8-12mm




8030

SIZE
80x30mm
APPLY
PCB-8-12mm*3




1616

SIZE
16x16mm
APPLY
PCB-8-12mm




2023

SIZE
20x23mm
APPLY
PCB-8-12mm




10030

SIZE
100x30mm
APPLY
PCB-20mm*2




1810

SIZE
18x10mm
APPLY
PCB-8-12mm



3010


SIZE
30x10mm
APPLY
PCB-8-15mm



OPEN EDGE (NO WEAR) SERIES


2010

SIZE
20x10mm
APPLY
PCB-8-12mm




3020

SIZE
30x20mm
APPLY
PCB-8-15mm




1010

SIZE
10x10mm
APPLY
PCB-5-8mm




2014

SIZE
20x14mm
APPLY
PCB-8-12mm




3025

SIZE
30x25mm
APPLY
PCB-8-15mm




1212

SIZE
12x12mm
APPLY
PCB-5-8mm




2020

SIZE
20x20mm
APPLY
PCB-8-12mm



3510


SIZE
35x10mm
APPLY
PCB-8-15mm



SIDE LUMINOUS SERIES


4010

SIZE
40x10mm
APPLY
PCB-8-15mm




1020

SIZE
10x20mm
APPLY
PCB-8/10mm




4020

SIZE
40x20mm
APPLY
PCB-10-20mm




0410

SIZE
4x10mm
APPLY
PCB-5mm




1023

SIZE
10x23mm
APPLY
PCB-8/10mm




5020

SIZE
50x20mm
APPLY
PCB-10-20mm




0613

SIZE
6x13mm
APPLY
PCB-5-8mm




1212

SIZE
12x12mm
APPLY
PCB-5mm




6020

SIZE
60x20mm
APPLY
PCB-10-20mm




0612

SIZE
6x12mm
APPLY
PCB-5-8mm




1220

SIZE
12x20mm
APPLY
PCB-10mm




7030

SIZE
70x30mm
APPLY
PCB-10-30mm



0816

SIZE
8x16mm
APPLY
PCB-8mm




1225

SIZE
12x25mm
APPLY
PCB-10-12mm




8030

SIZE
80x30mm
APPLY
PCB-10-20mm




0817

SIZE
8x17mm
APPLY
PCB-8mm




1525

SIZE
15x25mm
APPLY
PCB-12mm




10030

SIZE
100x30mm
APPLY
PCB-10-20mm




1015

SIZE
10x15mm
APPLY
PCB-8mm




1616-2

SIZE
16x16mm
APPLY
PCB-8-10mm




12030

SIZE
120x30mm
APPLY
PCB-10-20mm




1018

SIZE
10x18mm
APPLY
PCB-8-10mm



2020

SIZE
20x20mm
APPLY
PCB-10-12mm




LED SILICONE TUBE



2020

SIZE
20x20mm
APPLY
PCB-8-10mm



D13-270

SIZE
D13mm*270°
APPLY
PCB-5mm




D24-360

SIZE
D24mm*360°
APPLY
PCB-8-10mm



2032

SIZE
20x32mm
APPLY
PCB-10mm




D16-270

SIZE
D16mm*270°
APPLY
PCB-8mm




D30-360

SIZE
D30mm*360°
APPLY
PCB-10mm




3030

SIZE
30x30mm
APPLY
PCB-10-12mm



D25-270

SIZE
D20mm*270°
APPLY
PCB-10mm




D30-360

SIZE
D30mm*360°
APPLY
PCB-3*8mm




3045

SIZE
30x45mm
APPLY
PCB-10mm




D25-270

SIZE
D25mm*270°
APPLY
PCB-10-12mm



3020

SIZE
30x20mm
APPLY
PCB-10-15mm



3224

SIZE
32x24mm
APPLY
PCB-10mm*2




D13-360

SIZE
D13mm*360°
APPLY
PCB-5mm



4020


SIZE
40x20mm
APPLY
PCB-15-20mm



OTHER SERIES

D16-360

SIZE
D13mm*360°
APPLY
PCB-8mm



V22

SIZE
22x11mm
APPLY
PCB-5mm




1313

SIZE
13x13mm
APPLY
PCB-5-8mm




D22-360

SIZE
D20mm*360°
APPLY
PCB-8mm



0511

SIZE
11x5mm
APPLY
PCB-8mm




1513

SIZE
15x13mm
APPLY
PCB-8-10mm




D22-360




SIZE
D22mm*360°
APPLY
PCB-5mm



0513

SIZE
13x5mm
APPLY
PCB-8-10mm





NOWOX CO., LIMITED

Tel: +90 532 167 40 52 (Turkey) / +86 185 7842 8643 (China)

E-mail: sales@nowox.cn

Website: www.nowox.cn